



NOTES:
 1.- THE TRIANGULAR SPACE FORM BY THE RISER, TREAD AND LOWER HANDRAIL ELEMENT MAY BE SUCH THAT A SPHERE 6" DIAMETER CANNOT PASS THROUGH.
 2.- HANDRAILS FOR STAIRWAYS SHALL BE CONTINUOUS FOR THE FULL LENGTH OF THE FLIGHT, FROM A POINT DIRECTLY ABOVE THE TOP RISER OF THE FLIGHT TO A POINT DIRECTLY ABOVE THE LOWEST RISER OF THE FLIGHT. HANDRAIL ENDS SHALL BE RETURNED OR SHALL TERMINATE IN NEWEL POSTS OR SAFETY TERMINALS. HANDRAILS ADJACENT TO A WALL SHALL HAVE A SPACE OF NOT LESS THAN 1 1/2" (38 mm) BETWEEN THE WALL AND THE HANDRAILS (Sec. R311.7.7.2)

MAR-Co.
 HOUSE PLANS & DESIGNS
 PLANS DRAFTING DESIGN 3D-BUILDING PERMITS

MARCO A. LAUREANO
 LICENSE: 16966
 WWW.MARCOHOUSEPLANS.COM

MAR-Co.
 HOUSE PLANS & DESIGNS
 HOUSE PLANS & DESIGNS
 PLANS DRAFTING DESIGN 3D-BUILDING PERMITS

MARCO A. LAUREANO
 LICENSE: 16966
 WWW.MARCOHOUSEPLANS.COM

RESENDIZ'S ROOM ADDITION & NEW ROOF STRUCTURE

XXX W. FELICITA AVE. ESCONDIDO, CA. 92025

PROJECT NAME & ADDRESS:

CONSULTANT:

REVISIONS:
 04/11/2017
 DATE: 02/23/2017
 SCALE: AS SPECIFIED
 DRAWN & PREPARED BY: MARCO A. LAUREANO

SHEET: D-1
 OF: 15